

Safety Data Sheet

CYPERMETHRIN SMOKE GENERATOR

IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND COMPANY OR **SECTION 1. UNDERTAKING**

Product Identifier

1.1. Tradename: CYPERMETHRIN SMOKE GENERATOR

Contains Cypermethrin and Potassium Chlorate

UFI: KG50-80V8-X009-RMG8

Relevant identified uses of 1.2.

the substance or mixture and

Insecticidal Smoke Generator (FU)

uses advised against

1.3. Details of the supplier of the safety data sheet

Octavius Hunt (Europe) Limited Company

The Black Church, St Mary's Place, Dublin D07 P4AX Ireland (Responsible Entity)

+44 (0) 117 955 5304 Phone

Manufacturer Octavius Hunt Ltd

Redfield, Bristol, BS5 9NQ, UK

Website www.octaviushunt.co.uk Email info@octavius-hunt.co.uk

1.4. **Emergency**

telephone

number

Iceland: Landspítali Poison Centre, telephone 543 2222.

Non Europe: 441179555304 (Not 24hrs)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

- Classification (Regulation (EC) No 1272/2008) [CLP/GHS]: Acute Tox. 4 Oral, H302; Acute Tox 4 Inhalation H332; STOT-SE cat.3 H335; Aquatic Chronic 2, H411.
- Additional Information: For full text of Hazard and EU Hazard-statements: see section 16

2.2 Label elements

UFI: KG50-80V8-X009-RMG8



Signal word: WARNING

Cypermethrin Smoke Generator Revision: 4.1; July 2024 Page 1 of 11

SECTION 2: HAZARDS IDENTIFICATION (....)

H302 Harmful if swallowed

H332 Harmful if inhaled

H335 May cause respiratory irritation

H411 Toxic to aquatic life with long lasting effects.

P261 Avoid breathing the smoke

P264 Wash hands thoroughly after handling

P301+P312 IF SWALLOWED / INHALED: Call a POISON CENTRE or Doctor if you feel unwell

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing

P273 Avoid release to the environment.

P501 Dispose of contents/container as hazardous material according to current regulations.

Supplemental Hazard Information (EU)

- None

2.3. Other hazards:

The mixture contains Potassium Chloride which in contact with an acid gives off toxic gases. The mixture contains powder; all the organic powders may present an explosion hazard when dispersed in air.

Revision: 4.1; July 2024

The product does not contain PBT or vPvB substances in a percentage higher than 0,1%.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances: N.A.

3.2. Mixture

Contains the following hazardous ingredients or ingredients with a workplace exposure limit

Chemical Name	Conc.	CAS No.	EC No.	Classification according to Regulation (EC) No 1272/2008 (CLP).	SCL/ M-Factor/ ATE	REACH Registration Number	WEL/ OEL
Cypermethrin Technical 40/60 (≥93% cypermethrin cis/trans +/-40/60; (RS)-α-cyano-3- phenoxybenzyl (1RS,3RS; 1RS,3SR)-3-(2,2- dichlorovinyl)-2,2- dimethylcycloprop anecarboxylate)	7.2%	52315-07-8	257-842-9	Acute Tox. 4 (Oral) H302 Acute Tox. 4 H332 STOT SE 3 H335 Aquatic Acute 1 H400 Aquatic Chronic 1 H410		-	No
Potassium chlorate	10 -15% w/w	3811-04-9	223-289-7	Ox. Liq.1. H271; Acute Tox.3. H301;		01- 2119494917- 18-xxxx	No
Talc*	60-70%	14807-96-6	238-877-9	Non-Hazardous		Reach exempt	Yes

^{*} Substance with a workplace exposure limit

SECTION 4: FIRST AID MEASURES

Rescuers should take suitable precautions to avoid becoming casualties themselves

4.1 Description of First Aid Measures General Advice:

In case of a medical request, show the label and the safety data sheet.

Routes of Exposure:

Eye contact - Immediately flush the eyes with plenty of water for several minutes keeping the eyelids lifted. Remove contact lenses if easy to do. Continue rinsing for at least 15 minutes. If eyes are still red and there is still nuisance, consult an ophthalmologist.

Skin contact – In case of contact with skin wash affected area with plenty of soap and water. Remove contaminated clothing and wash it before reuse.

Inhalation - If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If unconscious, place person in recovery position

Apply artificial respiration only if patient is not breathing but do not use mouth to mouth resuscitation. Get immediate medical advice/attention.

Ingestion - Obtain immediate medical attention. Do not give anything without the doctor's advice and only if the affected person is conscious. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Local: Skin contact may cause dryness and irritation. Inhalation of dust can cause the following symptoms: irritation of the mucous membranes, cough, headache and exhaustion. Frequent inhalation of powder dust can cause lung disease.

Systemically, the ingestion of the product can cause: agitation, gastrointestinal disturbances, tremor, dizziness, headache, apathy, nausea and vomiting, epigastric pain. Risks: This product/preparation contains a pyrethroid. DO NOT confuse it with compounds of organic phosphorus.

4.3. Indication of any immediate Medical Attention and special treatment needed

In case of doubt or if the symptoms persist, call a doctor and show him the label and the safety data sheet. In case of accident, the first aid must be provided by qualified personnel to avoid further complications

SECTION 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media:

Suitable extinguishing media:

- Sand/earth; foam; water spray; carbon dioxide.

Unsuitable extinguishing media:

- Do not use water jets;

Dry agent extinguishers are unsuitable and should not be used.

5.2. Special Hazards arising from the mixture:

- Ignites readily.
- Contains an oxidising agent; may assist combustion.
- Gives off irritating or toxic fumes (or gases) in a fire.

5.3. Advice for fire-fighters:

- Collect contaminated fire extinguishing water separately. This MUST not be discharged into drains. Prevent fire extinguishing water from contaminating surface or ground water.
- Special protective equipment: Wear self-contained breathing apparatus (SCBA). Wear full protective clothing including chemical protection suit.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:

- No action shall be taken involving any personal risk or without suitable training.
- Only trained and authorised personnel should carry out emergency response.
- Avoid formation of dust.
- Shut off all ignition sources
- <u>Personal precautions for non-emergency personnel:</u> Avoid breathing dust/smoke; Avoid contact with skin and eyes; Wear protective clothing as per section 8; Wash thoroughly after handling; Eyewash bottles should be available.
- <u>Personal precautions for emergency responders:</u> Evacuate the area and keep personnel upwind; Wear chemical protection suit; Wear self-contained breathing apparatus (SCBA).

6.2. Environmental precautions:

- Avoid release to the environment.
- Do not allow to enter public sewers and watercourses.
- If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities.

6.3. Methods and material for containment and cleaning up:

- Do not absorb spillage in sawdust or other combustible material.
- Avoid formation of dust.
- Shut off all ignition sources.
- Take action to prevent static discharges.
- Do not allow to enter public sewers and watercourses.
- Small spills Wipe up spillage with damp absorbent cloth or towel.
- Large spills Evacuate the area and keep personnel upwind.

Damp down to avoid dust generation.

Absorb spillage in earth or sand.

Sweep or shovel-up spillage and remove to a safe place.

Place in appropriate container.

Seal containers and label them.

Remove contaminated material to safe location for subsequent disposal.

Ventilate the area and wash spill site after material pick-up is complete.

6.4. Reference to other sections:

- See section(s): 7, 8 & 13

Cypermethrin Smoke Generator

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

- Read the label before use.
- Prevent formation of dust.
- Take precautionary measures against static discharges.
- Do not breathe the smoke.
- Avoid contact with skin and eyes.
- Do not eat, drink or smoke when using this product.
- Keep away from heat and sources of ignition.
- Avoid contact with acids and alkalis.
- Avoid release to the environment.
- Take off contaminated clothing.
- Contaminated work clothing should not be allowed out of the workplace.
- Contaminated clothing should be laundered before reuse.
- Eyewash bottles should be available.

7.2. Conditions for storage, including any incompatibilities

- Shelf life: 2 years when stored in the original unopened sales container at ambient temperatures.
- Store in a cool, dry well-ventilated place. Keep container tightly closed.
- Keep away from combustible material.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Keep out of reach of children.

7.3. Specific end use

An Insecticidal Smoke Generator

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

- For currently recommended monitoring procedures, see HSE series 'Methods for the Determination of Hazardous Substances' (MDHS).

Workplace Exposure Limits (WEL) for talc:

Austria 5 mg/m³, Belgium 2 mg/m³, Bulgaria 3 mg/m³, Czech Republic 2 mg/m³, Denmark 5 mg/m³, Finland 2 mg/m³, France 5 mg/m³, Germany 2 mg/m³, Greece 2 mg/m³, Hungary 2 mg/m³, Ireland 0,8 mg/m³, Italy 2 mg/m³, Lithuania 1 mg/m³, Luxembourg 2 mg/m³, Netherlands 0,25 mg/m³, Norway 2 mg/m³, Poland 1 mg/m³, Portugal 2 mg/m³, Romania 2 mg/m³, Slovakia 2 mg/m³, Slovenia 2 mg/m³, Spain 2 mg/m³, Sweden 1 mg/m³, Switzerland 2 mg/m³, UK 1 mg/m³

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION (....)

8.2. Exposure controls

- Only use as directed on the label
- Selection and use of personal protective equipment should be based on a risk assessment of exposure potential.
- Respiratory protection

If exposure to smoke is likely than wear suitable respiratory equipment.

Where a reusable half mask respirator is required, use EN 140, with gas/vapour filter EN 14387 type ABEK, or EN 405; EN 1827 and EN 143 particle filter.

Where a full face mask respirator is required, use EN 136, with gas/vapour filter EN 14387 type ABEK and particle filter EN 143.

- Skin protection

Wear suitable protective clothing.

Wear protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and standard EN 374. The selection of a suitable glove depends on work conditions and whether the product is present on its own or in combination with other substances. Breakthrough time is dependent on the characteristics of the brand of glove used and the supplier should be consulted. PVC or rubber gloves are recommended.

- Eye/face protection

If exposure to smoke is likely than wear suitable Wear goggles giving complete eye protection approved to standard EN 166.

- Hygiene measures

Contaminated clothing should be laundered before reuse.

Do not eat, drink or smoke when using this product.

Eyewash bottles should be available.

- Environmental exposure controls

Avoid release to the environment.

Do not empty into drains











SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical State: Powder in a plastic or metal pot

Colour:Off-white.Odour:Odourless.Melting Point:Not applicable.Boiling point:Not applicable.

Flammability: Powder not flammable. Smoke may be flammable.

Flash-Point:

Autoignition temperature

Decomposition temperature:

pH-value (quant.):

Does not flash.

Not available

Not available.

Not available

Solubility: Partly soluble in/with water.

Partition coeff. (n-octanol/water):
Vapour pressure:

Density:

Not available

Not available

Not available

Not available

No data available

Oxidizing properties: Contains an oxidising agent; may assist combustion.

Energy Explosive properties Not applicable

9.2 Other Information:

Oxidizing properties: Contains an oxidising agent; may assist combustion.

Revision: 4.1; July 2024

Energy Explosive properties Not applicable

- No further information available

SECTION 10. STABILITY AND REACTIVITY

- 10.1 Reactivity
- No hazardous reactions known if used for its intended purpose
- 10.2 Chemical stability
- Considered stable under normal conditions.
- 10.3 Possibility of hazardous reactions
- Reacts with combustible material.
- Reacts with acids liberating toxic gas (chlorine).
- 10.4 Conditions to avoid
- Avoid formation of dust.
- Keep away from heat and sources of ignition.
- Keep away from static electricity.
- 10.5 Incompatible materials
- Incompatible with strong acids.
- Incompatible with alkalis (strong bases).
- Incompatible with halogenated substances.
- 10.6 Hazardous decomposition products
- Decomposition products may be toxic

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute Toxicity

Harmful if swallowed - Classification based on calculation and concentration thresholds Harmful if inhaled - Classification based on test data and concentration thresholds

- Skin corrosion/irritation

Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity No evidence of reproductive effects
- Specific target organ toxicity (STOT) single exposure May cause respiratory irritation - Classification based on calculation and concentration thresholds

Cypermethrin Smoke Generator

SECTION 11. TOXICOLOGICAL INFORMATION (....)

- Specific target organ toxicity (STOT) - repeated exposure Based on available data, the classification criteria are not met.

Chemical Name	NOAEL (oral, rat)		
Cypermethrin	20 mg/kg bw/day (90days)		

- Aspiration hazard

Based on available data, the classification criteria are not met.

- Contact with eyes

No effects anticipated but may cause redness and swelling.

- Contact with skin

No effects anticipated but may cause redness and irritation.

- Ingestion

May cause sores to mouth and throat.

May cause stomach pain.

May cause nausea/vomiting.

Harmful if swallowed

- Inhalation

May cause shortness of breath.

May cause coughing and tightness of chest.

Harmful if inhaled

11.2 Information on other hazards

-No further information

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

- Toxic to aquatic life with long lasting effects.
- Classification based on calculation and concentration thresholds.

Revision: 4.1; July 2024

-Cypermethrin

LC50 (fish) 82.83 ug/l

EL50 (Crustacea) 4.71ug/l

12.2 Persistence and degradability

- No information available

12.3 Bio accumulative potential

- No information available

12.4 Mobility in soil

- No information available

12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII
- Not a vPvB according to REACH Annex XIII

12.6 Endocrine disrupting properties

- No information available

12.7 Other adverse effects

- No information available

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. WASTE TREATMENT METHODS

- Do not discharge into drains or the environment, dispose to an authorised waste collection point
- Dispose of product and packaging in accordance with national waste regulations.
- This material and/or its container must be disposed of as hazardous waste.

13.2 Classification

- The waste must be identified according to the List of Wastes (2000/532/EC).
- Hazardous Property Code(s): HP5 STOT; HP6 Acute Toxicity; HP14 Ecotoxic

SECTION 14. TRANSPORT INFORMATION

14.1 UN number

- UN No.: 3077

14.2 UN proper shipping name

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (CYPERMETHRIN MIXTURE)

14.3 Transport hazard class(es)

- Hazard Class: 3077 14.4 Packing group

- Packing Group: III

14.5 Environmental hazards

Yes. Marine Pollutant.

14.6 Special precautions for user

Refer to sections 4 -8

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

14.8 Road/Rail (ADR/RID)

- Proper Shipping Name: ÉNVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CYPERMETHRIN MIXTURE)
- ADR UN No.: 3077
- ADR Hazard Class: 90
- ADR Packing Group: III

14.9 Sea (IMDG)

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CYPERMETHRIN MIXTURE)
- IMDG UN No.: 3077
- IMDG Hazard Class: 90
- IMDG Pack Group.: III

14.10 Air (ICAO/IATA)

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CYPERMETHRIN MIXTURE)
- ICAO UN No.: 3077
- ICAO Hazard Class: 90
- ICAO Packing Group: III

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- This safety data sheet is provided in compliance with REACH Regulation (EC) No 1907/2006 as amended by Regulation (EU) 2020/878.
- Regulation (EC) No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) applies in Europe.
- The COSHH Regulations apply in the UK.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16. OTHER INFORMATION

Information contained in this data sheet is accurate to the best of our knowledge and belief and is given in good faith. It is intended to describe our product from the point of view of safety requirements and is not intended to guarantee any particular properties.

Sources of data: Information from published literature and supplier safety data sheets

Revision No. 4.1. Revised July 2024.

Changes made: Updated to remove potassium chlorate information post classification change

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:;

Acute Tox. 4 Oral, H302; Classification based on calculation and concentration thresholds Acute Tox 4 Inhalation H332; Classification based on test data and concentration thresholds STOT-SE cat.3 H335; Classification based on calculation and concentration thresholds Aquatic Chronic 2, H411: Classification based on calculation and concentration thresholds

Text not given with phrase codes where they are used elsewhere in this safety data sheet:

- H271: May cause fire or explosion; strong oxidiser
- H301: Toxic if swallowed
- H400: Very toxic to aquatic life
- H410: Very toxic to aquatic life with long lasting effects

Acronyms

- ATE: Acute Toxicity Estimates
- CAS: Chemical Abstracts Service
- DNEL: Derived No-Effect Level
- EC: European Community
- EC50: Effective Concentration, 50%
- GHS: Globally Harmonised System
- IARC: International Agency for Research on Cancer
- IC50: Half-maximal inhibitory concentration
- LC50: Lethal Concentration, 50%
- LD50: Lethal Dose, 50%
- NOAEC: No observed adverse effect concentration
- NOAEL: No observed adverse effect level
- NOEC: No observed effect concentration
- OEL: Occupational Exposure Limit
- PBT: Persistent, Bioaccumulative and Toxic
- PNEC: Predicted No-Effect Concentration
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

Revision: 4.1; July 2024

- vPvB: very Persistent and very Bioaccumulative
- WEL: Workplace Exposure Limit

Previous revisions should be destroyed.