



Safety Data Sheet

Revision date: 01-August-2017

replaces all previous editions

PIRIMOR SMOKE GENERATORS

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name PIRIMOR SMOKE GENERATOR

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Octavius Hunt Ltd
Dove Lane
Redfield
Bristol BS5 9NQ
United Kingdom

Telephone +44 (0) 117 955 5304

Telefax +44 (0) 117 955 7875

Responsible Department Email: info@octavius-hunt.co.uk

1.4 Emergency telephone no.

Emergency telephone no. +44(0) 7720 051020 (24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Flammable solid substances: Category 2
H228 Flammable solid subs.

Acute toxicity: Category 4
H302 Harmful if swallowed.

Acute toxicity: Category 4
H332 Harmful if inhaled.

Skin sensitisation: Category 1
H317 May cause an allergic skin reaction.

Carcinogenicity: Category 2
H351 Suspected of causing cancer.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic organism.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Pirimicarb
- Potassium chlorate



Signal word: Danger

Hazard statements

H228 Flammable solid substance.
H272 Can promote fire; Oxidising.
H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H331 Toxic when inhaled
H351 Suspected of causing cancer
H410 Very toxic to aquatic life with long lasting effects.

Additional Hazard statements

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. Do not smoke.
P270 Do not eat, drink or smoke while using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection
P391 Clean up leaked/spilled substance
P403 + P233 Store in a well ventilated place. Store in well sealed packaging

2.3 Other hazards

This substance/mixture contains no components that can be regarded as persistent bioaccumulative and toxic (PBT) or as highly persistent and highly bioaccumulative (vPvB) at levels of 0.1% or higher.

This product contains an anticholinesterase compound. Do not use if there is a medical indication against working with such combinations

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Smoke generator (FU)
Pirimicarb 10.0% w/w

Hazardous components

Hazard statements according to Regulation (EC) No. 1907/2006

Name CAS-No.	CAS-No. / EC-No.	Regulation (EC) No 1272/2008	Conc. [%]
Pirimicarb (ISO)	23103-98-2 245-430-1	Acute Tox. 3, H301 Acute Tox. 3, H331 Skin Sens. 1, H317 Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	10.00
Potassium chlorate	3811-04-9 223-289-7	Ox. Sol. 1, H271 Acute Tox. 4, H332 Acute Tox. 4, H302 Aquatic Chronic 2, H411	> 1.00 – < 25.00

For the full text of the Hazard statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Keep the packaging of the product, the label or the Safety Data Sheet to hand when contacting the Emergency telephone number, poison Information Centre, doctor or before starting treatment.

Inhalation Move the victim to fresh air and keep at rest. Call a physician or poison control center immediately.

Skin contact Immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.
Ingestion	Rinse out mouth and give water in small sips to drink. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Poisoning causes effects related to anticholinesterase activity, such as Nausea, Diarrhoea and vomiting
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Consider taking a blood sample for control of cholinesterase activity (use a heparin tube) administer atropine sulphate as antidote. As there is no therapeutic effect, the use of oxime preparations (or other cholinesterase reactivators) is contraindicative
------------------	--

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
-----------------	--

Unsuitable	High volume water jet
-------------------	-----------------------

5.2 Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire., Contains potassium chlorate which is classified as an oxidising agent.
--	---

5.3 Advice for firefighters

Special protective equipment for fire-fighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
---	--

Further information	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.
----------------------------	---

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Keep people away from and upwind of spill/leak. Avoid dust formation. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation. Clean floors and contaminated objects with plenty of water.

Additional advice Check also for any local site procedures.

6.4 Reference to other sections. Information regarding safe handling, see section 7
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Avoid dust formation. Ensure adequate ventilation.

Advice on protection against fire and explosion Dust may form explosive mixture in air.

Hygiene measures When using, do not eat, drink or smoke. Remove soiled clothing immediately and clean thoroughly before using again. Contaminated work clothing should not be allowed out of the workplace. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wash hands immediately

after work, if necessary take a shower.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials Polyethylene film within an outer package

7.3 Specific end uses Refer to the label and/or leaflet

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Pirimicarb	23103-98-2	1mg/m ³ (TWA)		Syngenta

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Wear respirator with a particle filter mask (protection factor 4) conforming to European norm EN149FFP1 or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form powder

Colour white to light beige

Odour characteristic

Ignition temperature > 130 °C

Bulk density ca. 940 kg/m³

Water solubility partly soluble

Oxidizing properties Contains potassium chlorate which is classified as an oxidising agent.

9.2 Other information Minimum ignition energy: 500 mJ.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight. Heat, flames and sparks.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	Acute toxicity estimates: 1.017 mg/kg Method: Calculation method
Acute inhalation toxicity	Acute toxicity estimates: 4.76 mg/l Exposure time: 4 h Atmosphere: dust/mist Calculation method.
Acute dermal toxicity	LD50 (Rat, male and female): > 2000 mg/kg Rating: The substance or mixture does not show acute toxicity to the skin
Skin irritation	No skin irritation (rabbit)
Eye irritation	Irritating to eyes. (rabbit)
Sensitisation	Sensitising (guinea pig) Information given is based on data on the components and the toxicology of similar products.

Assessment repeated dose toxicity

Pirimicarb did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Pirimicarb was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Pirimicarb caused at high dose levels an increased incidence of tumours in mice in the following organ(s): liver, Lungs. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.

Assessment toxicity to reproduction

Pirimicarb did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Pirimicarb did not cause developmental toxicity in rats and rabbits. Further information
Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss)(rainbow trout) 0.0076 mg/l
Exposure time: 96 h

Toxicity to aquatic invertebrates EC50 (Water flea (Daphnia magna)) 0.017 mg/l
Exposure time: 48 h

Toxicity to aquatic plants EC50 (Pseudokirchneriella subcapitata (green algae))
: 180 mg/l
Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae))
: 180 mg/l
Exposure time: 96 h

M-factor (Acute aquatic Toxicity) : 10

Toxicity to fish (Cronic toxicity) : NOEC: 18 mg/l
Exposure time: 28d
Type: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and Other aqualtic invertebrates (chronic toxicity) : NOEC: 0.0009 mg/l
Exposure time: 21d
Type: Daphnia magna (big water flea))

M-factor (Acute aquatic Toxicity) : 100

12.2 Persistence and degradability

Biodegradability Haf-life (of analysis): 36-55d
Comments: The product is not persistent

12.3 Bioaccumulative potential

Bioaccumulation Comments: Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Comments: Moderately mobile in soil

Ground stability: Percentage of distribution: 50% (DT50: 29 – 365d)
Comments: The product is not persistent

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). At levels of 0.1% or higher.

12.6 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging Dispose of empty and cleaned packaging safely. Not completely emptied packagings should be disposed of as hazardous waste. Follow advice on product label and/or leaflet.

Waste key for the unused product 020108 agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

14.1. UN number 3077

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (PIRIMICARB MIXTURE)

14.3. Transport hazard class 9

14.4. Packing group III

14.5. Environmental hazards Environmentally hazardous substance

14.6. Special precautions for user see section 8

14.7. Transport in bulk

Land transport (ADR/RID/GGVSE):

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (PIRIMICARB MIXTURE)

UN Number 3077

Class: 9

Packaging group: III

Inland waterways

Proper shipping name: Environmentally Hazardous Substance, Solid,
N.O.S., (Pirimicarb mixture)
UN Number 3077
Class: 9
Item: 11
Letter: No information
Hazard Identification No.: No information

Sea transport (IMDG-Code/GGVSee):

Proper shipping name: Environmentally Hazardous Substance, Solid,
N.O.S., (Pirimicarb mixture)
UN Number 3077
Class: 9
Packaging group: III
Marine pollutant: P

Lufttransport (ICAO-IATA/DGR):

Proper shipping name: Environmentally Hazardous Substance, Solid,
N.O.S.,(Pirimicarb mixture)
UN Number 3077
Class: 9
Packaging group: III

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)
Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)
Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)
Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits
Control of Pesticide Regulations 1986

Waste Treatment

Environmental Protection Act 1990, Part II
Environmental Protection (Duty of Care) Regulations 1991
The Waste Management Licensing Regulations 1994 (as amended)
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)
Landfill Directive
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)
Water Resources Act 1991
Anti-Pollution Works Regulations 1999

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H271 May cause fire or explosion; strong oxidiser.
H301 Toxic if swallowed
H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H331 Toxic by inhalation
H332 Harmful if inhaled.
H351 Suspected of causing cancer
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Smoke generators are ready to use products contained in a plastic or aluminium container.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.